SAFETY DATA SHEET

DURABLE INTERACTIVE WHITEBOARD KIT 5814-00

Issued: 31/10/2005

Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: DURABLE INTERACTIVE WHITEBOARD KIT 5814-00

Product code: 00-004 tgl

Use / description of product: No significant hazard. The regulatory information is dependent upon the concentration limit of the specific substance.

Company name: Durable UK Ltd
10 Nimrod Way
Wimborne
Dorset
BH21 7SH
Tel: 01202 897071
Fax: 01202 873381
Emergency tel: 01305 213770

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: 2-BUTOXYETHANOL <5%
EINECS: 203-905-0 CAS: 111-76-2
[Xn] R20/21/22; [Xi] R36/38

- DISODIUM METASILICATE <5%
  EINECS: 229-912-9 CAS: 6834-92-0
  [C] R34; [Xi] R37
- ORANGE TERPENES <5%
  EINECS: 232-433-8 CAS: 8028-48-6
  [Xn] R65; [-] R10

3. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

[cont...]

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide. Alcohol resistant foam. Dry chemical powder. Water fog.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: 2-BUTOXYETHANOL

WEL (8 hr exposure limit): 25 ppm WEL (15 min exposure limit): 50 ppm

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Colourless

Odour: Pleasant

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat. Sources of ignition. Direct sunlight. Flames.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: 2-BUTOXYETHANOL

IVN RAT LD50 307 mg/kg

[cont...]

ORL MUS LD50 1230 mg/kg

ORL RAT LD50 470 mg/kg

- DISODIUM METASILICATE

ORL MUS LD50 770 mg/kg

ORL RAT LD50 1153 mg/kg

Chronic toxicity: May cause sensitisation by inhalation. May cause sensitisation by skin contact.

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: -

Shipping name: "NOT SUBJECT TO ADR"

IMDG / IMO

UN no: -

IATA / ICAO

UN no: -

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.2: R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R36/38: Irritating to eyes and skin.

R34: Causes burns.

R37: Irritating to respiratory system.

R65: Harmful: may cause lung damage if swallowed.

R10: Flammable.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall

[cont...]

be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.